





HM offers a wide range of label applicators, coders and printers which are able to work with C-wrap, U-wrap and Full-wrap solutions.

Common to all solutions are:

- State-of-the art label applicators with speeds up to 100 m/min
- Solutions developed to meet the demands from the food industry
- Print Engines can be directly fitted to the labeller
- Designed for round-the-clock operation


Food labelling for WRAP-around solutions

C-WRAP

HM has conducted a large number of projects feauring C-wrap labelling. C-wrap labelling has become to be accepted as the method of applying a single large label onto foods packs, which then are appplied to the three sides of the pack.

C-wrap labelling typically has two formats:

- Partially covering the top of the pack, and then down one side ending up underneath
- Covering top of the tray and applied down the two opposite sides



C-wrap labeller for trays

Technical specifications

Dimensions: $1750 \times 900 \times 1850 \text{ mm (LxWxH)}$

Label width: 10-300 mm Label length: 500 mm

Capacity: 30-120 packs depending on label and print size

Core diameter: 76 mm Accuracy +/- 1 mm

Dispensing speed 0-100 m/min

U-WRAP


U-wrap is a way of combning C-wrap and bottom labelling allowing you to apply a label to the bottom and/or two sides of a food pack usually blowing the labels to the sides.

U wrap typically has a format of 250 mm labels with an advance length from 70 -110 mm.

FULL-WRAP

Full-wrap is a way of fully sealing a product with a label. This can be done applying a label to a pack travelling narrow edge leading or wide adge leading on a production line.

Full wrap typically has a format of up to 420 mm label and a width of 20-100 mm.



Non-stop double bottom & U-wrap labeller

Technical specifications


Dimensions: 2600 x 900 x 1850 mm (LxWxH)

Label width: 10-300 mm Label length: 500 mm

Capacity: 50-250 packs depending on label and print size

Core diameter: 76 mm Accuracy +/- 1 mm

Dispensing speed 0-100 m/min



Full-wrap labbeler for trays

Technical specifications

Dimensions: 2400 x 900 x 1850 mm (LxWxH)

Label width: 10-300 mm Label length: 500 mm

Capacity: 50-80 packs depending on label and print size

Core diameter: 76 mm Accuracy +/- 1 mm

Dispensing speed 0-100 m/min



50 years of experience

The HM Group is with more than 50 years of experience one of Europe's leading and most innovative companies within industrial marking and labelling.

The competencies of HM Systems comprise a wide range of industrial labelling and marking solutions such as:

- Custom-made marking and labelling solutions
- Labelling solutions and a complete program of labelling dispensers
- HM Linerfree® labelling solutions eliminating use of backing paper
- Print & Apply solutions
- Ink-jet printers and system solutions
- · Label printers
- · Software- og data collection
- Product handling og logistic solutions
- · Laser marking og metal marking
- An international service organization
- 24/7 service

With a comprehensive experience within construction, electronics and software, HM has a unique competence within development and implementation of custom-designed solutions.

Additionally, HM Systems owns Collamat AG in Switzer-land, an international company with more than 50 years of experience within labelling and Print & Apply solutions.

Collamat is a world known brand with more than 50,000 systems installed globally and a sales network consisting of 50 distributors world-wide.

HM Systems has an international and experienced service organisation offering quick response preventive maintenance, service agreements and around-the-clock service.

We provide consultancy and guidance when solving our customers' challenges and needs. Our experience, wide product programme and technical know-how makes us a unique partner developing the optimal solution for you. Our quality is second to none and we build and test all projects in our own factory.



HM has a global network of distribution partners



